

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	508719	signal\$3 near5 line	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/31 06:15
S2	4364496	send\$3 or transmit\$4 or transmission\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/31 05:47
S3	6096677	receiv\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/31 05:47
S4	14055	temporar\$4 near5 retain\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/31 05:48
S5	243418	second near5 (level\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/31 05:50
S6	2616575	releas\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/31 05:50
S7	278121	first\$3 near5 level\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/31 05:50

EAST Search History

S8	265392	second\$3 near5 (level\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/31 05:50
S9	15	S1 and S2 and S3 and S4 and S6 and S7 and S8	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/31 05:52
S10	95341	(signal\$3 near5 line) same (send\$3 or transmit\$4 or transmission\$3) same (receiv\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/31 09:07
S11	60	(signal\$3 near5 line) same (send\$3 or transmit\$4 or transmission\$3) same (receiv\$4) same ((retain\$4 or keep\$4) near5 (signal or line) near5 (level\$3 or stag\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/31 05:58
S12	3	(signal\$3 near5 line) same (send\$3 or transmit\$4 or transmission\$3) same (receiv\$4) same ((retain\$4 or keep\$4) near5 (signal or line) near5 (level\$3 or stag\$4)) same ((releas\$4) near5 (signal or line))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/31 07:09
S13	1	("5661373").PN.	USPAT	OR	OFF	2007/01/31 06:10
S14	18810	(358/1.15,1.9,1.13,1.14,1.16,1.17,1.1,409,410,413,425,426.05,444).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/31 06:11
S15	5452	(375/259,260,264,288,293,359,362,372).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/31 06:12

EAST Search History

S16	24255	S14 or S15	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/31 06:12
S17	0	S16 and S9	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/31 06:13
S18	2	S16 and S11	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/31 06:13
S19	10166	(one or single) near5 (data) near5 signal\$3 near5 line	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/31 06:16
S20	1212	((one or single) near5 (data) near5 signal\$3 near5 line) same (send\$4 or transmit\$4 or transmission\$4) same (receiv\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/31 06:18
S21	22	((one or single) near5 (data) near5 signal\$3 near5 line) same (send\$4 or transmit\$4 or transmission\$4) same (receiv\$4) same (retain\$4 or releas\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/31 06:22
S22	0	((one or single) near5 (data) near5 signal\$3 near5 line) same (send\$4 or transmit\$4 or transmission\$4) same (receiv\$4) same (retain\$4) same (releas\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/31 06:23

EAST Search History

S23	723	((one or single) near5 (signal\$3 or line)) same (send\$4 or transmit\$4 or transmission\$4) same (receiv\$4) same (retain\$4) same (releas\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/31 06:25
S24	35	((one or single) near5 (signal\$3 or line)) near9 (send\$4 or transmit\$4 or transmission\$4) near9 (receiv\$4)) same (retain\$4) same (releas\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/31 06:36
S25	99	((one or single) near12 (signal\$3 or line)) near12 (send\$4 or transmit\$4 or transmission\$4) near12 (receiv\$4)) same (retain\$4) same (releas\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/31 06:28
S26	0	S24 and S16	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/31 06:29
S27	0	S25 and S16	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/31 06:29
S28	2355	three near5 state\$3 near5 buffer\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/31 09:02
S29	282313	(one or single) near9 (data or information) near9 (line or signal\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/31 06:42

EAST Search History

S30	2741850	(high\$3 near9 impedance) or (releas\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/31 06:44
S31	101	S28 same S29	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/31 06:44
S32	27	S28 same S29 same S30	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/31 06:45
S33	1	S16 and S31	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/31 06:45
S34	0	S16 and S32	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/31 06:45
S35	4	(signal\$3 near5 line) same (send\$3 or transmit\$4 or transmission\$3) same (receiv\$4) same ((retain\$4 or keep\$4) near5 (signal or line) near5 (level\$3 or stag\$4)) same ((S30) near5 (signal or line))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/31 07:10
S36	12	(signal\$3 near5 line) same (send\$3 or transmit\$4 or transmission\$3) same (receiv\$4) same ((retain\$4 or hold\$3 or held\$3 or keep\$4 or preserv\$5) near5 (signal or line) near5 (level\$3 or stag\$4)) same ((S30) near5 (signal or line))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/31 07:18

EAST Search History

S37	10	((single or one) near9 (signal\$3 or line)) same (send\$3 or transmit\$4 or transmission\$3) same (receiv\$4) same ((retain\$4 or hold\$3 or held\$3 or keep\$4 or preserv\$5) near5 (signal or line) near5 (level\$3 or stag\$4)) same ((S30) near5 (signal or line))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/31 08:30
S38	46	((single or one) near9 (signal\$3 or line)) same (send\$3 or transmit\$4 or transmission\$3) same (receiv\$4) same ((retain\$4 or hold\$3 or held\$3 or keep\$4 or preserv\$5) near5 (signal or line) near5 (state\$3 or level\$3 or stag\$4)) same ((S30) near5 (signal or line))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/31 07:22
S39	558	((single or one) near9 (signal\$3 or line)) same (send\$3 or transmit\$4 or transmission\$3) same (receiv\$4) same ((retain\$4 or hold\$3 or held\$3 or keep\$4 or preserv\$5) near5 (signal or line)) same (((high\$3 near9 impedance) or releas\$5) near5 (signal or line))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/31 07:25
S40	51	((single or one) near9 (signal\$3 or line)) near9 (send\$3 or transmit\$4 or transmission\$3) near9 (receiv\$4)) same ((retain\$4 or hold\$3 or held\$3 or keep\$4 or preserv\$5) near5 (signal or line)) same (((high\$3 near9 impedance) or releas\$5) near5 (signal or line))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/31 07:28
S41	0	S16 and S32	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/31 07:29
S42	1	S16 and S35	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/31 07:29
S43	1	S16 and S36	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/31 07:29

EAST Search History

S44	0	S16 and S37	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/31 07:30
S45	0	S16 and S38	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/31 07:30
S46	1	S16 and S39	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/31 07:31
S47	0	S16 and S40	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/31 07:31
S48	2682	((single or one) near9 (data) near9 (signal\$3) near9 (line)) same (send\$3 or transmit\$4 or transmission\$3) same (receiv\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/31 08:50
S49	54	((((single or one) near9 (data) near9 (signal\$3) near9 (line)) same (send\$3 or transmit\$4 or transmission\$3) same (receiv\$4)) same ((releas\$5) or (high\$3 near9 impedance))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/31 08:58
S50	55	((((single or one) near9 (data) near9 (signal\$3) near9 (line)) same (send\$3 or transmit\$4 or transmission\$3) same (receiv\$4 or recept\$4)) same ((releas\$5) or (high\$3 near9 impedance))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/31 08:59

EAST Search History

S51	2	S16 and S49	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/31 09:01
S52	2	S16 and S50	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/31 09:01
S53	1009584	buffer\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/31 09:03
S54	23224	S53 same S29	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/31 09:04
S55	561	S53 same S29 same S30	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/31 09:04
S56	20	S53 same S29 same S30 same S10	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/31 09:07
S57	100530	(signal\$3 near5 line) same (send\$3 or transmit\$4 or transmission\$3) same (receiv\$4 or receipt\$6)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/31 09:06

EAST Search History

S58	24	S53 same S29 same S30 same S57	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/31 09:08
S59	949622	(signal\$3 or line) same (send\$3 or transmit\$4 or transmission\$3) same (receiv\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/31 09:07
S60	84	S53 same S29 same S30 same S59	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/31 09:09
S61	15	S16 and S55	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/31 09:09
S62	1	S16 and S56	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/31 09:10
S63	1	S16 and S58	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/31 09:11
S64	3	S16 and S60	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/31 09:11

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	7998489	line or channel or communication or communicat or interface	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/31 12:14
S2	110457	bidirectional or (bidirect\$6) or (bidirection\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/31 12:02
S3	88512	(bi adj directional) or (bi adj direct\$4) or (bi adj direction\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/31 12:08
S4	181831	S2 or S3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/31 12:09
S5	54020	S1 near9 S4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/31 12:20
S6	8392530	line or channel or communication or communicat\$4 or interface	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/31 12:46
S7	2616575	releas\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/31 12:16

EAST Search History

S8	54020	S5 same S6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/31 12:17
S9	2716811	(high\$3 near3 impedance) or releas\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/31 13:14
S10	839	S5 same S9	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/31 12:19
S11	61292	S6 near9 S4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/31 12:21
S12	927	(S6 near9 S4) same S9	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/31 12:23
S13	401057	(retain\$4 or hold\$3 or held\$3 or keep\$4 or preserv\$5) near4 (signal or S6)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/31 12:27
S14	29	S12 same S13	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/31 12:35

EAST Search History

S15	20039	(358/1.15,1.9,1.13,1.14,1.16,1.17,1.1,409,410,413,425,426.05,444,404,468,407).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/31 12:36
S16	5452	(375/259,260,264,288,293,359,362,372).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/31 12:37
S17	25483	S15 or S16	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/31 12:37
S18	19	S17 and S10	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/31 12:38
S19	20	S17 and S12	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/31 12:38
S20	1	S17 and S14	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/31 12:39
S21	863603	buffer	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/31 12:40

EAST Search History

S22	1009584	buffer\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/31 12:41
S23	8	S14 same S22	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/31 12:42
S24	1731020	(send\$3 or transmit\$4 or transmission\$3) same (receiv\$4 or recept\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/31 12:45
S25	2	S23 same S24	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/31 12:46
S26	61292	S6 near9 S4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/31 12:49
S27	16271	S26 same S24	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/31 12:49
S28	272	S27 same S9	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/31 12:50

EAST Search History

S29	9	S28 same S13	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/31 12:52
S30	8	S28 and S17	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/31 13:04
S31	1610	three near3 state\$3 near3 buffer	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/31 13:05
S32	155351	flip near2 flop	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/31 13:05
S33	1078844	gate	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/31 13:07
S34	64	S31 same S32 same S33	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/31 13:07
S35	9	S34 same S9	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/31 13:09

EAST Search History

S36	0	S34 same S9 same S13	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/31 13:10
S37	0	S34 same S9 same S24	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/31 13:11
S38	135700	synchroniz\$4 near5 signal	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/31 13:12
S39	3	S35 same S38	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/31 13:12
S40	90985	((high\$3 near3 impedance) or releas\$4) near9 (signal)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/31 13:16
S41	3	S35 same S40	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/31 13:18
S42	2	(S35 same S40) and S13	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/31 13:19

EAST Search History

S43	2	(S35 same S40) and S13 and S24	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/31 13:20
-----	---	--------------------------------	--	----	-----	------------------

Refine Search

Search Results -

Terms	Documents
(Kazuo near Goto).in. and (signal.clm. and line.clm. and retain\$.clm.)	1

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

Search History

DATE: Wednesday, January 31, 2007

[Purge Queries](#)
[Printable Copy](#)
[Create Case](#)

[Set Name](#)
[Query](#)
 side by side

[Hit Count](#)
[Set Name](#)
 result set

DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ

L62	(Kazuo near Goto).in. and (signal.clm. and line.clm. and retain\$.clm.)	1	L62
L61	(Kazuo near Goto).in. and (signal.clm. and line.clm. and releas\$.clm.)	1	L61
L60	(Kazuo near Goto).in. and (signal.clm. and line.clm. and serial.clm.)	1	L60
L59	(Kazuo near Goto).in. and (signal.clm. and line.clm. and level.clm.)	1	L59
L58	(Kazuo near Goto).in. and (signal.clm. and line.clm.)	3	L58
L57	(Kazuo near Goto).in. and (signal.clm.)	7	L57
L56	(Kazuo near Goto).in. and (retain\$.clm. and level.clm.)	1	L56
L55	(Kazuo near Goto).in. and (retain\$.clm.)	2	L55
L54	(Kazuo near Goto).in. and (releas\$.clm.)	1	L54
L53	(Kazuo near Goto).in. and (buffer.clm.)	1	L53
L52	(Kazuo near Goto).in. and (serial.clm.)	1	L52
L51	(Kazuo near Goto).in.	459	L51
L50	L37 and (serial.clm. and releas\$.clm. and retain\$.clm.)	1	L50

<u>L49</u>	L41 and (serial.clm. and releas\$.clm. and retain\$.clm.)	1	<u>L49</u>
<u>L48</u>	L41 and (serial.clm. and releas\$.clm. and retain\$)	2	<u>L48</u>
<u>L47</u>	L41 and (serial.clm. and releas\$.clm.)	3	<u>L47</u>
<u>L46</u>	L37 and (serial.clm. and releas\$.clm. and retain\$)	1	<u>L46</u>
<u>L45</u>	L37 and (serial.clm. and releas\$.clm.)	2	<u>L45</u>
<u>L44</u>	L41 and (buffer.clm. and serial.clm. and releas\$.clm.)	1	<u>L44</u>
<u>L43</u>	L41 and (buffer.clm. and serial.clm.)	9	<u>L43</u>
<u>L42</u>	L41 and (serial.clm.)	113	<u>L42</u>
<u>L41</u>	Kazuo.in.	170669	<u>L41</u>
<u>L40</u>	L37 and (buffer.clm. and serial.clm. and releas\$.clm.)	1	<u>L40</u>
<u>L39</u>	L37 and (buffer.clm. and serial.clm.)	4	<u>L39</u>
<u>L38</u>	L37 and (serial.clm.)	28	<u>L38</u>
<u>L37</u>	Goto.in.	64687	<u>L37</u>
<i>DB=PGPB; PLUR=YES; OP=ADJ</i>			
<u>L36</u>	(serial and send\$ and receiv\$ and signal and line and buffer and level and first and second and releas\$ and retain\$.clm.	1	<u>L36</u>
<u>L35</u>	(serial and send\$ and receiv\$ and signal and line and buffer and level and first and second and releas\$.clm.	2	<u>L35</u>
<u>L34</u>	(serial and send\$ and receiv\$ and signal and line and buffer and level and first and second).clm.	11	<u>L34</u>
<u>L33</u>	(serial and send\$ and receiv\$ and signal and line and buffer and level and first).clm.	12	<u>L33</u>
<u>L32</u>	(serial and send\$ and receiv\$ and signal and line and buffer and level).clm.	13	<u>L32</u>
<u>L31</u>	(serial and send\$ and receiv\$ and signal and line and buffer and releas\$ and retain\$.clm.	1	<u>L31</u>
<u>L30</u>	(serial and send\$ and receiv\$ and signal and line and buffer and releas\$.clm.	5	<u>L30</u>
<u>L29</u>	(serial and send\$ and receiv\$ and signal and line and buffer).clm.	53	<u>L29</u>
<u>L28</u>	(serial and send\$ and receiv\$ and signal and line).clm.	331	<u>L28</u>
<u>L27</u>	(serial and send\$ and receiv\$.clm.	2045	<u>L27</u>
<u>L26</u>	(retain\$ and releas\$ and signal and line and level and instruct\$ and control\$ and first and second and data and send\$ and receiv\$ and serial).clm.	1	<u>L26</u>
<u>L25</u>	(retain\$ and releas\$ and signal and line and level and instruct\$ and control\$ and first and second and data and send\$ and receiv\$.clm.	2	<u>L25</u>
<u>L24</u>	(retain\$ and releas\$ and signal and line and level and instruct\$ and control\$ and first and second and data and send\$.clm.	2	<u>L24</u>
<u>L23</u>	(retain\$ and releas\$ and signal and line and level and instruct\$ and control\$ and first and second and data).clm.	31	<u>L23</u>
<u>L22</u>	(retain\$ and releas\$ and signal and line and level and instruct\$ and control\$ and first and second).clm.	31	<u>L22</u>
<u>L21</u>	(retain\$ and releas\$ and signal and line and level and instruct\$ and control\$ and first).clm.	31	<u>L21</u>
<u>L20</u>	(retain\$ and releas\$ and signal and line and level and instruct\$ and control\$ and serial).clm.	1	<u>L20</u>

<u>L19</u>	(retain\$ and releas\$ and signal and line and level and instruct\$ and control\$).clm.	32	<u>L19</u>
<u>L18</u>	(retain\$ and releas\$ and signal and line and level and instruct\$).clm.	32	<u>L18</u>
<u>L17</u>	(retain\$ and releas\$ and signal and line and level).clm.	56	<u>L17</u>
<u>L16</u>	(retain\$ and releas\$ and signal and line).clm.	164	<u>L16</u>
<u>L15</u>	(retain\$ and releas\$ and signal).clm.	835	<u>L15</u>
<u>L14</u>	(retain\$ and releas\$).clm.	11902	<u>L14</u>
<u>L13</u>	(serial and releas\$ and signal and retain\$ and level and line).clm.	1	<u>L13</u>
<u>L12</u>	(serial and releas\$ and signal and retain\$ and level).clm.	4	<u>L12</u>
<u>L11</u>	(serial and releas\$ and signal and retain\$ and buffer).clm.	1	<u>L11</u>
<u>L10</u>	(serial and releas\$ and signal and retain\$).clm.	14	<u>L10</u>
<u>L9</u>	l1 and l2 and l3 and l4 and l5 and l6 and l7	1	<u>L9</u>
<u>L8</u>	l1 and l2 and l3 and l4 and l5	1	<u>L8</u>
<u>L7</u>	second.clm.	673864	<u>L7</u>
<u>L6</u>	first.clm.	679317	<u>L6</u>
<u>L5</u>	retain\$.clm.	60225	<u>L5</u>
<u>L4</u>	releas\$5.clm.	83307	<u>L4</u>
<u>L3</u>	buffer.clm.	36274	<u>L3</u>
<u>L2</u>	signal.clm.	258608	<u>L2</u>
<u>L1</u>	serial.clm.	14638	<u>L1</u>

END OF SEARCH HISTORY